| Condition |  |  | Mal  | aria/Fever  |
|-----------|--|--|--|---|
| Age in    |  |  |  |   |
| Months    | Fever cases                                    | RDT+   | RDT-   | LA  |
| 2 - 4     | # 2 - 4 months with fever<br>who were referred | # 2 - 4 months with<br>positive RDT results<br>who were referred | # 2 - 4 months with<br>negative RDT<br>results   | Leave Blank   |
| 5 - 35    | # 5 - 35 months with<br>fever                  | # 5 - 35 months with<br>positive RDT results                     | # 5 - 35 months<br>with negative RDT<br>results  | # 5 - 35 months<br>with positive RDT<br>results who<br>received LA 6X1  |
| 36 - 59   | # 36 - 59 months with<br>fever                 | # 36 - 59 months with<br>positive RDT results                    | # 36 - 59 months<br>with negative RDT<br>results | # 36 - 59 months<br>with positive RDT<br>results who<br>received LA 6X2 |

| Condition |  |   | Diarrhoes  |   |
|-----------|--|---|--|---|
| Age in    |  |   |  |   |
| Months    | new cases                                | ORS ONLY  | ORS& ZINC  | Refer No Drug   |
| 2 - 11    | # 2 - 11 months with<br>Diarrhoea        | # 2 - 11 months with<br>Diarrhoea who<br>received only ORS  | # 2 - 11 months<br>with Diarrhoea<br>who received ORS<br>& Zinc  | # 2 - 11 months<br>with Diarrhoea<br>who were referred<br>due to ORS<br>stockout  |
| 12 - 59   | # 12 - 59 months with<br>Diarrhoea       | # 12 - 59 months with<br>Diarrhoea who<br>received only ORS | # 12 - 59 months<br>with Diarrhoea<br>who received ORS<br>& Zinc | # 12 - 59 months<br>with Diarrhoea<br>who were referred<br>due to ORS<br>stockout |
|           | Add the two cells above to get the total | Add the two cells above to get the total                    | Add the two cells above to get the total                         | Add the two cells above to get the total  |

| Gender | New Cases by Gender   |
|--------|---|
| Male   | Count all male sick children registered on the page (# should never be more than 2)   |
| Female | Count all female sick children registered on the page (# should never be more than 2) |
| Total  | Add the two cells above to get the total. (# should never be more tha 2)              |

**Total Used** 

**Total Loses** 

| Refer No Drug   | Refer Danger Sign   |
|---|---|
| Leave Blank   | # 2 - 4 months<br>referred with danger<br>sign            |
| # 5 - 35 months referred mRDT<br>stockouts PLUS # referred LA<br>6X1 stockouts  | # 5 - 35 months who<br>were referred with<br>danger sign  |
| # 36 - 59 months referred mRDT<br>stockouts PLUS # referred LA<br>6X2 stockouts | # 36 - 59 months who<br>were referred with<br>danger sign |

|  | Breathing   |   |  |   |
|--|---|---|--|---|
| Refer Danger Sign  | New Cases   | Amoxyl  | Refer No Drug  | Refer Danger Sign   |
| # 2 - 11 months with Diarrhoea<br>who were referred due to<br>danger sign  | # 2 - 11 months with respiratory rate ≥ 50bpm who were given amoxicillin  | # 2 - 11 months with respiratory rate ≥ 50bpm                                   | # 2 - 11 months with respiratory rate ≥ 50bpm who were referred due to Amoxicillin stockout  | # 2 - 11 months with respiratory rate ≥ 50bpm who were referred due to danger sign  |
| # 12 - 59 months with<br>Diarrhoea who were referred<br>due to danger sign | # 12 - 59 months with respiratory rate ≥ 50bpm who were given amoxicillin | # 2 - 11 months<br>with Diarrhoea<br>who were<br>referred due to<br>danger sign | # 12 - 59 months with respiratory rate ≥ 50bpm who were referred due to Amoxicillin stockout | # 12 - 59 months with respiratory rate ≥ 50bpm who were referred due to danger sign |
| Add the two cells above to get the total                                   | Add the two cells above to get the total                                  | Add the two cells above to get the total  | Add the two cells above to get the total   | Add the two cells above to get the total  |

|        | Commodities |             |     |      |  |  |  |  |  |  |
|--------|-------------|-------------|-----|------|--|--|--|--|--|--|
| LA 6x1 | LA 6x2      | Paracetamol | ORS | Zinc |  |  |  |  |  |  |

. Use the Stock on Hand from previous page for each of the item

. If the register page is the start of a new month: Copy the "New Stock on Hand" Values (Column F in the support you submitted for the month that has just finished

. Page in the register

# tablets, satchets, or tubes used on the current page of the register

Record all the losses encountered on that page.

|                                  | Red Eye  |   | Malnutrition   | Palma Pallor                             |
|----------------------------------|--|---|--|--|
| New Cases                        | Refer No Drug  | Refer Danger Sign   | New Cases  |  |
| # 2 - 11 months<br>with Red eye  | # 2 - 11 months with<br>Red eye who were<br>referred because of<br>eye ointment<br>stockout  | # 2 - 11 months with<br>Red eye who were<br>referred because of<br>danger sign  | # 2 - 11 months with<br>Yellow or Red MUAC<br>score and swelling of<br>both feet who were<br>referred  | # 2 - 11 months<br>with Palma Pallor     |
| # 12 - 59 months<br>with Red eye | # 12 - 59 months<br>with Red eye who<br>were referred<br>because of eye<br>ointment stockout | # 12 - 59 months with<br>Red eye who were<br>referred because of<br>danger sign | # 12 - 59 months with<br>Yellow or Red MUAC<br>score and swelling of<br>both feet who were<br>referred | #12 - 59 months<br>with Palma Pallor     |
|                                  | Add the two cells above to get the total   | Add the two cells above to get the total  | Add the two cells above to get the total   | Add the two cells above to get the total |

| Amoxyl | Eye Ointment | Rectal Artesonate |
|--------|--------------|-------------------|
|        |              |                   |
|        |              |                   |
|        |              |                   |

olies management table in Form 1A) for each item from

| Invalid<br>RDT*       | # Record all incond   |
|-----------------------|---|
| Total<br>RDT<br>used* | Total # of RDT use<br>the page of the rep<br>complete, take no<br>summary when pa |
|                       |   |

|  | _ |
|--|---|
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |

\* This is not recorded in indivipased on recall

## **Other Conditions**

# 2 - 11 months with Other Conditions

# 12 - 59 months with Other Condition

Add the two cells above to get the total

clusive results from the RDTs

d for fever cases recorded on gister. If the page is not te of invalid results for page ige completes vidual cases managed. It is

COM VILAGE CLINIC REGISTER

| CCM VILAGE CLINIC REGISTER                              |  |  |   |  |  |  |   |  |   |   | New (N.L.)   |  |                                      |                            |                                   |                  |   |                 |               |
|---|--|--|---|--|--|--|---|--|---|---|--|--|--------------------------------------|----------------------------|-----------------------------------|------------------|---|-----------------|---------------|
| UM6   | Uners rull Name  | Years Months   | Box Gel<br>Dov Gel  | uare where Name  | Hoter Father Other   | rmysical Address                                 |   | Village  |   | ıA.   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Identity Problem: Ask?                                  | C® Cough Days  | Diarhoes Days  | Citi Fever Days   | □ ■ Convulsions?                                       | ☐ ■ Difficult drinking or feeding  | 7  |   | Vomiting   |   | Red eyes Days                                   | HV   | 10   | Prequently sick                      | k of mainutrition          | _                                 |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   | □■ Has HV  | Child lving in a   | Cass than 4 t                        | ypes of food grou          |                                   | Other proble     | m could not treat   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   |  | house with someone on<br>TB treatment                      | 0                                    |                            |                                   |                  |   |                 |               |
|   |  | _  |   |  |  |  |   |  |   |   | -  |  | Less than 6 mor                      | eeding                     | 2000                              |                  |   |                 |               |
|   |  | ○ ■ Blood in steel   |   |  | Unable to drink or feed anyth  | hing?  | Vo.                                     | miting everything                                  | ,   | Difficult seeing Days                           | At risk of HIV One or Both parents have HIV child not teated, Parents current HIV status not known                 |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   | not tested,  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   | Parents current Pelv status not<br>known   |  |                                      |                            |                                   |                  |   |                 |               |
| Identify Problem: Look?                                 | □ ■ Chest indrawing?   | If cough breaths in 1<br>minute 7                                | Very sleepy or unco   | ounclous   | Palmar Pallor  | For Child 6 months<br>to Syears, MUAC            | For Child 6 months                      |  | (Oedema) If yes   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
|   | - Community  | minute7<br><12months: 50bpm or more<br>>12months: 40 bpm or more |   |  |  | to Syears, MUAC<br><11.5cm                       | 1.5cm                                   |  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  | Oedema                                  | ++ (Bipedal Cer<br>c PLUS any IMC<br>s +++ (Belor) | dema)   | Any Oedema PLUS any IMCI<br>Danger sign (Refer) | 7  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  | Oudern                                  | c PLUS any IMC<br>s +++ (Refer)                    | CI danger sign  | Danger sign (water)                             |  |  |                                      |                            |                                   |                  |   |                 |               |
| Quoser Sign : (Ask?)                                    | Danger story (Lock)  | Danger sign (Look)   | Sick but no danger sign                                     | Decide: refer or treat child (Tick de                  | cision) DANGE  | D SIGN DEFED                                     |   |  |   |   |  |  |                                      |                            |                                   |                  |   |                 | $\overline{}$ |
| Cough - 14<br>days or more                              | Chest indrawing  | □ MarasmicKwarsh   | Diarrhoss (less<br>than 14 days and no                      | ☐ If ANY danger sign refer                             | DANGE<br>Prepare for referral (child who can a   | drink)   |   |  |   |   | 1  | rest at Home (Help caregi                                  | iver give 1st dose now)              |                            |                                   |                  |   |                 |               |
|   | □ Very sleepy or unconscous  | Other problem to refer   | blood in stool<br>Fever (less than 7 da                     | Condition you connect treat                            | □ Darrhosa   | ₽ ors  |   |  | □ Diarrhosa   |   | If mRDT is negative  |  |                                      |                            |                                   |                  |   |                 |               |
| Diarrhoes - 14<br>days or more                          | Very sleepy or unconscous  | Other problem to refer   | Fever (less than 7 da                                       | Condition you cannot treat                             | Diarrhoes  | ORS  |   |  | Diarrhoes   |   | If mRDT is negative  | If severe acute<br>mainutrition (Oedema                    |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   |  | +, ++, MUAC <11.5cm )                                      | Adviso                               | Care giver                 |                                   |                  |   |                 |               |
| ☐ Fever last 7 days                                     | Palmar Pallor  |  | Red eye (less than 4  | If NO danger sign treat at<br>home and advise caredier | If fever and convulsions, very<br>sleepy or unconscious OR not able<br>to drink OR feed anything somits<br>everything OR Palmar Pallor.    | Gwe rectal arissunate                            |   |  | ORS 3 packets   |   | Follow up in 3 days or when  | □ Enrol  |                                      |                            | nding                             |                  |   |                 |               |
| Convulsions Uhable to eat or                            | Yellow on MUAC table Red on MUAC with medical                      |  | East househing<br>At risk of HIV                            | Short out rates  | to drink OR feed anything vomits   | Age 3 years up to 5 y                            | years (1 supposit                       | ory)   | Znc 2 month up to 6 i                                     | months (5 tabs)                                 | Fast Breathing   | Gue St ET  | Advise when to re                    | durn                       |                                   |                  |   |                 |               |
| drink anything  | Complication   |  | AZ TIEK OF PRV  |  | emping or rain rain.   | - Age 3 years up to 5 y                          | vesirs (2 supposso                      | 90   | Znc 6 months up to 5                                      | yra (10 taba)                                   | Fast prestring   | day for 7 days (14<br>Sachets)                             | Advise on use of                     | TIIN                       |                                   |                  |   |                 |               |
| _   |  |  |   |  |  |  |   |  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| □ Vomits everything                                     | Oedems .   |  | Lives with someone<br>on TB Treatment                       |  | If factbreathing/chest indraws<br>OR   |  |   |  | Fever : Do mRDT   |   | Amosicilin 2 months up to 12 months (10 tabs)  | Give Onel Antibiotic                                       | Follow up in 3 day                   | 4                          | □ Vacin                           | ation up todate  | Fully immun   | med             |               |
|   |  |  |   |  |  |  |   |  |   |   |  | (Amoxicillin - 250mg)<br>give twice daily for 7            |                                      |                            |                                   |                  |   |                 |               |
| Red eye for 4 days<br>or more                           | Gedema +++   |  | At risk of<br>mainutrition                                  |  | ☐ Oedema +++ /Oedema+ or ++  | Gwe 1st dose of oral a                           | ntblotic (Amoryl t                      | ablet 250mg )                                      | ☐ mRDT positive   |   | Amostcillin 12months up to 5 yrs<br>(20 tabs)  |  |                                      |                            |                                   |                  |   |                 |               |
| or more   |  |  | manumon   |  | with complications age 6 months<br>or more/sedems + or ++ with or  |  |   |  |   |   | (20 808)   |  |                                      |                            |                                   |                  |   |                 |               |
|   |  | 1  | L   | 1  | with complications age 6 months<br>or monubadams + or ++ with or<br>without complicationsx (2 - 6<br>months)                               | L  |   |  |   |   |  | 1  | 1                                    |                            |                                   |                  |   |                 |               |
| □ Vausiprotiers   | Dedoma + or ++ with complexation                                   | s age 6 month or more  | Oedems + Oedems ++ Red on MUAC tape                         | 1  | 1  | Age 2 month Age 12 month                         | up to 12 month - 1<br>up to 5 years - 2 | tablet<br>tablets                                  | □ mPDT Negative<br>□ # Invalid mPDT                       |   | Red Dire   | Age 2 months in in 5                                       | 2 months - 1 tab                     | □ For SAM No               | w up in 7 days                    |                  |   |                 |               |
| Visual problem HIV and any other illness or mainutition | Oedems + or ++ with complication Oedems + or ++ with or without co | omplications (2 - 6months)                                       | Red on MUAC tape  | 1  |  |  |   |  |   |   | Red Eye<br>Antibiotic Eye ointment 3 times<br>per day (1 tube)   | Age 12 months up to 1 Age 12 month up to 1 28 tablets)     | 5 yrs - 2 tabs ( total               | FOLLOW UP (C               | rcle) Monday Tue                  | raday Wednesday, | Thursday, Friday, W   | referred Date   |               |
| mainutition   |  |  | 1   | 1  | □ ■ Hoodeye  |  |   | J  | FmRDT is positive - Giv                                   | e LA  |  |  |                                      |                            |                                   |                  | □ Date  |                 |               |
|   |  |  | 1   | 1  | - dredeye  | Apply antibiotic eye                             | current                                 |  | Aged up to Smor   |   | If at risk of HIV addrse to take<br>the child for HIV test   | Give sibendazole less 2yrs 200 mg / over 2y                | rs 400 mg                            | NUTE ON FOLE               | OW UP Childs                      | not better       | Danger Date   |                 |               |
| 1   |  |  | 1   | 1  | 1  | 1  |   |  | ☐ Aged 5 month up   | to 3 years (6 tablets)                          | 1  | Do rapid diagnostic test                                   | Postive                              |                            |                                   |                  | sion  |                 |               |
| O-M   | Child screen for violenceh   |  | 1   | 1  | 1  | 1  |   |  |   |   | <b>—</b>   | regat  | MB.                                  |                            |                                   |                  |   |                 | —             |
| Type of Abuse   | Child screen for violence or abuse Physical                        | Sexual   | □ ■ Emotional   | ○ ■ Negled   |  | 1  |   |  | Aged 3 year up to   | 5 years (12 Tablets)                            | If at risk of TB advise to take the  | ☐ Encourage HIV test                                       | If not tested                        |                            |                                   |                  |   |                 |               |
| L   | Health centre  | L  | □ Police  | NGO/CBO/Committees                                     |  | 1  |   |  | □ Paracetamol 5 m   |   | child for TB screening and TB<br>preventive medicines  At risk of mainutrition advise on<br>good feeding practices | 1  |                                      |                            |                                   |                  |   |                 |               |
| Where the child has<br>been referred to                 | Health centre  | Social welfare (child<br>protection worker/District              | Police  | NGO/CBO/Committees                                     |  |  |   |  | □ Paracetamol 5 m   | onths to 3 yrs (3 tabs)                         | At risk of malnutrition advise on<br>good feeding practices  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  | Social Welfare Officer   |   |  |  |  |   |  | Paracetamol 3 up  | to 5 yrs (6 tabs)                               |  |  |                                      |                            |                                   |                  |   |                 |               |
| Date  | Child's Full Name  | Age  | Sex   | Care Givers Name                                       | Relationship   | Physical Address                                 | Vilace                                  |  | TA  |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Identify Problem: Ask?                                  | Cough Days   | Years Months Districts Days                                      | Roy Girl  |  | Mother Father Other  Difficult drinking or feeding?  |  |   |  | □ W Red eyes D  |   | □* Hss HV  |  |                                      |                            |                                   |                  |   |                 | =             |
| Identity Problem: Alak?                                 | Cougn Lays   | Blood in stool   | - rest tage   | COMMENT  | Unable to chink or feed anything   | 2 □■ 1   | Vomiting<br>Jorniting everythin         |  |   |   |  | Child living in a<br>house with someone on<br>TB treatment | Frequently sick                      | a or manufesion            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  | □ ■ Difficult seein                                       | g Days  | At risk of MV One or Both parents have MV child not tested, Parents current MV status not                          | house with someone on<br>TB treatment                      |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   | Parents current HIV status not<br>known  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  | If cough breaths in 1  | Very sleepy or unc  | councious  | Pairrar Palor  | For Child 6 months<br>to Syears, MUAC: 11.5c     |   | dems + (Dipeds                                     | ( Oedema) If yes  |   |  |  | Less than 4 t                        | ypes of food grou          |                                   | Other proble     | m could not treat   |                 |               |
| Identity Problem: Look?                                 | ☐ ■ Chest indrawing?   | minute7<br><12months: 50bpm or more<br>>12months: 40 bpm or more |   |  |  |  |   |  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  | 7 GILDING 40 QUI O IION  |   |  |  |  | _                                       |  |   |   | _  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  |   | ++ (Bipedal Cer                                    |   | Danger sign (Refer)                             |  |  | Less than 6 mor                      | nths and stopped<br>eeding | reast                             |                  |   |                 |               |
|   |  |  |   |  |  |  |   | PLUS any IMO                                       | CI danger sign  |   |  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   |  |  |  | Oedem                                   | s +++ (Refer)                                      |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Danger Sign : (Ask7)                                    | Danger sign: (Look)  | Danger sign (Look)   | Sick but no danger sign                                     | Decide: refer or tre                                   | et child (Tick decision)   | R SIGN REFER                                     |   |  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Cough - 14  | Chest indrawing  | ManamicRearch  | Disrrhoes (less   | If ANY danger sign refer                               |  | R SIGN REFER                                     |   |  |   |   |  | Treat at Home (He  | sip caregiver give 1st d             | bae now)                   |                                   |                  |   |                 |               |
| days or more  |  |  | than 14 days and no<br>blood in stool<br>Fever (less than 7 |  | Prepare for referral (child who can drink)   | L  |   |  |   |   |  | _  |                                      |                            |                                   |                  |   |                 |               |
| Diarrhoes - 14<br>days or more                          | Very sleepy or unconscous  | Other problem to refer   | Fever (less than 7<br>days)                                 | Condition you cannot treat                             | □ Diarrhoes  | OPS .  |   | Dianhoea   |   |   | If mRDT is negative  | # severe scute ma<br>+, ++ MUAC                            | shutrition (Oedema                   | Adv                        | se Care giver                     |                  |   |                 |               |
|   |  |  |   |  |  |  |   |  |   |   |  |  | ,                                    |                            |                                   |                  |   |                 |               |
| Fever last 7 days                                       | Palmar Pallor  |  | Red eye (less   | If NO danger sign treat at                             | If fever and consultions, very sleepy or unconscious CR not able   | Give rectal artesure                             |   | ORS 3 pac  | kets  |   | Follow up in 3 days or when<br>Child becomes sicker  | or when   Enrol  Increase fluids and continue feeding      |                                      |                            |                                   |                  |   |                 |               |
| Convulsions   | Yellow on MUAC type  |  | than 4 days)<br>Fast breathing                              | home and advise careolier<br>Stock out refer           | sleepy or unconscious OR not able<br>to drink OR feed anything vomits<br>everything OR Palmar Pallor.                                      | Age 2 month up supposito                         | to 3 years (1                           | Znc 2 mon  | th up to 6 months (5 tabs)                                |   | CHECKER SCA  | □ Gie RUTF   |                                      | Advise when                | to return                         |                  |   |                 |               |
|   |  |  |   |  | everything CR Palmar Pallor.   | supposito  | ry)                                     |  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Unable to eat or  | Red on MUAC with medical   |  | ☐ At risk of HIV  |  |  | ☐ Age 3 years up to                              | 5 years (2                              | Zinc 6 mont  | ha up to 5 yrs (10 tabs)                                  |   | Fast Breathing   | RUTF 2 sachets per-<br>Sache                               | day for 7 days (14                   |                            |                                   |                  |   |                 |               |
| drink anything  | Complication   | 1  | 1   | 1  | 1  | suppostory)                                      |   |  |   |   | 1  | Sache  | ds)                                  | Advise on u                | se of ITN                         |                  |   |                 |               |
| □ Vomits everything                                     | Oedema .   | 1  | Lives with someone  | 1  | If factbreathinglichest indraws<br>OR  |  |   |  |   |   | Amosicilin 2 months up in 12   |  |                                      | 0 64                       | owup in 3 days                    | □ Various        | on up todate  | Fully immunized | med           |
|   |  | 1  | Lives with someone<br>on TB Treatment                       | 1  |  | Give 1st dose of oral ar<br>tablet 250r          |   | Fever : Do mi                                      | RDT   |   | Amosicilin 2 months up to 12 months (10 tabs)  | Give Oral Antibiotic (<br>give twice daily                 | for 7 days                           |                            |                                   | -                |   | Vaccin          | 465           |
| Red eye for 4   |  | 1  | At risk of mainutrition                                     | n n  | Oedema +++ /Oedema+ or ++  | Age 2 month up to 1                              | 2 month - 1 tablet                      |  | mPET post   |   | 1  | 1  |                                      |                            |                                   |                  |   |                 |               |
| Pad eye for 4<br>days or more<br>Vausi problem          | Osdema +++   | 1  | Oedems +  |  | Oedems +++ /Oedems+ or ++<br>with complications age 6 months<br>or moneloedems + or ++ with or<br>without complicationss (2 - 6<br>months) | Age 12 month up to 5                             |   |  | mRDT Neg  |   | Amosicilin 12months up to 5 yrs (20 tabs)  | Age 2 months up to   | o 12 months - 1 tab<br>ablats)       | For SAM foll               | w up in 7 days                    |                  |   |                 |               |
|   |  | 1  |   |  | without complicationss (2 - 6<br>months)   | 1  |   |  | -   |   | yrs (20 tabs)  | (total 54 To   | ablets)                              |                            |                                   |                  |   |                 |               |
| HV and any other<br>liness or mainutrition              | Oedems + or ++ with complications                                  | age 6 month or more  | Oedema++  |  | □ ■ If red eye   | <ul> <li>Apply antibiotic ey</li> </ul>          | e cintment                              | _  | # Invalid mRDT  |   | Red Eye  | Age 12 month up to<br>28 table                             | 5 yrs - 2 tabs ( total               | LOTTOM IIb (c              | ircle) Monday Tue                 | raday Wednesday, | Thursday, Friday, W   | nekend          |               |
| with or manufactor                                      | Oedems + or ++ with or without com                                 | destant (2. females)   | Red on MUAC tape  |  | 1  | 1  |   |  | ative - Give LA   |   | Lancas Francisco   |  |                                      |                            | N FOLLOW UP                       | - mu             | - Dawn -  | Patr            |               |
|   | Security of the With or Without comp                               | mumurili (2 - SITOTETS)  | Hed on MUHC tape  |  | 1  | 1  |   | - ARD I IS DO                                      | - UND LA  |   | Antibiotic Eye ointment 3 times (  | - Give albendazole<br>less 2yrs 200 mg / over 2y           | yrs 400 mg                           | NUTE                       | - POLLOW OF                       | — unad bets      | Child not Dan<br>better sign  | ps 1888         | -             |
|   |  |  | 1   |  |  |  |   | Aged up to   | Smorth not recommended                                    | 1   | If at risk of HIV addise to take<br>the child for HIV test   | Do rapid diagnostic  | testPostve                           |                            |                                   |                  |   |                 |               |
| 0.0   | Child screen for violence or whose                                 |  | 1   | _  | ·  | <del>                                     </del> |   | Age S greet  | h up to 3 years (6 tablets)                               |   |  |  |                                      |                            |                                   |                  |   |                 | —             |
| Type of Abuse   | Ohild screen for violence or abuse Physical                        | O <sup>M</sup> Sexual  |   | Neglect  |  | 1  |   | Age 3 year o                                       | n up to 3 years (6 tablets)<br>up to 5 years (12 Tablets) |   | If at risk of TB advise to take the<br>child for TB screening and TB<br>preventive medicines                       | Encourage HIV test   | If not tested                        |                            |                                   |                  |   |                 |               |
| Where the child has<br>been referred to                 | Health centre  | Social welfare (child  | □ Police  | □ NGO/CBO/Committees                                   |  | 1  |   | Paraceterrol                                       | 5 months to 3 yrs (3 tabs                                 | 0   |  | 1  |                                      |                            |                                   |                  |   |                 |               |
| been referred to  |  | protection worker/District<br>Social Welfare Officer             | 1   | 1  |  | 1  |   | Paracetamol  | 3 up to 5 yrs (6 tabs)                                    |   | At risk of malnutrition advise on good feeding practices   | 1  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  |   | L  |  |  |   | _  |   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
|   |  |  | Page Summaries  | rewr   |  |  |   | ,  |   |   | 11011  | ou .   |                                      |                            |                                   |                  | Dan .   |                 | =             |
|   |  |  |   |  |  |  |   |  |   |   | Can  |  |                                      |                            |                                   | reed             | Γ   |                 |               |
| Age (Mon.)  | Fever Cases  | mRDT +   | mRDT -  | м  | Referral   |  | Care<br>seeking<br>within 1 day         |  | Age (N  | for New cases                                   | ORS only   | ORS & Zinc   | Referral                             | Car                        | ing<br>in 2                       |                  |   |                 |               |
|   |  | 1  | 1 -   |  | 1  |  | within 1 day                            |  | 1   |   | 1  |  |                                      | day                        | in 2                              |                  |   |                 |               |
|   |  | -  |   |  |  | Dance  | _                                       |  | +   | -   | -  | -  |                                      | Danner                     | New Cas                           | es TEO           | Referral  | <del>.</del> –  |               |
| 2.4   |  |  |   |  | No drug  | Dange<br>r Sion                                  | _                                       |  |   |   |  |  | No drug                              | Danger<br>Sign             |                                   | _                | No drug Dangs<br>Sign   | =               |               |
| 5-35  |  |  |   |  |  |  |   |  | 12 - 55<br>Total  | 1   |  |  |                                      |                            |                                   |                  |   |                 |               |
| Total   |  | L  |   |  |  |  |   |  | fotal   |   |  |  |                                      |                            |                                   |                  |   |                 |               |
| nu. All 2 - 4 months to                                 | was was micu postwe snould be re                                   | - THEOLESAY  |   |  |  | ш  |   | ш  |   |   | <u> </u>   |  |                                      |                            |                                   |                  |   | =               |               |
|   | _  |  | Cough/Fast Breathir   |  |  | lease:   | 1                                       |  | New Cases of Ma   | interition                                      |  |  | 107                                  |                            |                                   | 15               |   | _               |               |
| Age (Mon)   | New cases  | Amozyl   | 1   | Refer  | Care seeking within 3 days   | MAM" SAM" SAM"<br>treat Comp                     | ac ac                                   |  |   |   | Refer  | Has HIV  | At Risk of HIV                       | Refer Age                  | (Mon.) At risk of                 | Tb Refer         |   |                 |               |
|   |  |  |   |  |  | at<br>Home ated                                  |   | Cames re   | scelved   | 1   |  |  |                                      |                            |                                   |                  | $oldsymbol{ol}oldsymbol{ol}oldsymbol{ol{oldsymbol{oldsymbol{ol}}}}}}}}}}}}}}}}$ | _               |               |
| 2-41  |  |  | No arug   | Danger Sign  |  |  | RUTF                                    | Apendazole   | LAGLAGE 2 Among   | i No drug                                       | Dancer Sion  |  |                                      | 2-                         | 1                                 |                  |   |                 |               |
| 12 - 59<br>Total  | _  |  |   |  |  | $\vdash$   | -                                       |  | +   | +   | +  |  |                                      | Tot                        | 50                                |                  |   | $\dashv$        |               |
|   |  |  |   |  |  |  |   | Com  | modifies  |   |  |  | Number of children<br>of violence or | screened                   | Number of Children<br>referred to |                  |   | 1               |               |
| -   | Palmar Pallor  | Other Conditions   | New   | cases by Gender  | Balance DF   | LA LA Parac                                      | e- ORS                                  | Zinc   | TEO Amosyl RUTF   | albenda- zole                                   | Rectal Artesunate  |  | Physical                             | Haz                        | th.                               |                  | Notes or  | Maria Maria     |               |
| 2-11  |  |  | Male  | 1  | Qt received  | 1 - 1 - 1  | _                                       | -  |   |   |  |  | Sexual                               | Pol                        |                                   | M.               | Mr.   | Yellow on MUAC  | _             |

| 12 - 59 |  | Female | Total used          |  |  |  |                 |  | Emotional | Social<br>Welfare           | SAM" treat at Home |           | Add all for (Dedema +, Dedema ++ and<br>Red MUAC)   |  |         | and' |
|---------|--|--------|---------------------|--|--|--|-----------------|--|-----------|-----------------------------|--------------------|-----------|---|--|---------|------|
| Total   |  | Total  | Total losses        |  |  |  |                 |  | Neglect   | NGO/CBO?<br>communitie<br>s | SAM** Cor          | mplicated | Add all for (Manasimickearsh, Cedema<br>+++, Cedema + or ++ selft complications<br>or Red MUAC selft complications) |  |         |      |
|         |  |        | New SOH             |  |  |  |                 |  |           |                             |                    |           |   |  |         |      |
|         |  |        | Positive adjustment |  |  |  | Invalid mRDT    |  |           |                             |                    |           |   |  | $\neg$  |      |
|         |  |        | Negative adjustment |  |  |  | Total mRDT used |  |           |                             |                    |           |   |  | Vareire | n 2  |